

XWiki Scheduler Job Class

superadmin

2012/02/08 14:45

Inhaltsverzeichnis

Class: SchedulerJob	3
Create a new document	3
Existing documents	3
The class sheet	3
The class template	3

Class: SchedulerJob

Class properties:

- Job Name (jobName: String)
- Job Description (jobDescription: TextArea)
- Job Class (jobClass: String)
- Status (status: String)
- Cron Expression (cron: String)
- Job Script (script: TextArea)
- Job execution context user (contextUser: String)
- Job execution context lang (contextLang: String)
- Job execution context database (contextDatabase: String)
- *You can use the class editor to [add or modify the class properties](#).*

Create a new document

Existing documents

- [WatchListHourlyNotifier](#)
- [WatchListDailyNotifier](#)
- [WatchListWeeklyNotifier](#)

The class sheet

The *Sheet* allows to control the presentation of documents of this data type. You can use the default presentation, which enumerates all the available fields, or you can design your own presentation. You can also choose different presentations for the viewing and for the editing modes.

[View the sheet document \(XWiki.SchedulerJobSheet\) »](#)

The class template

The *Template* is the document used as the model for documents of this data type. It will automatically contain a reference to the *Sheet* and an instance of your *Class*.

[View the template document \(XWiki.SchedulerJobTemplate\) »](#)